

## **References supporting the Code of Practice Fertiliser Nutrient Management:**

Ahuja LR, Sharpley AN, Lehman OR 1982. Effect of soil slope and rainfall characteristics on phosphorus in runoff. Journal of Environment Quality 11: 9–13.

Anon. 2012. Seasonal nitrogen use. DairyNZ Farmfact 7-11. https://www.dairynz. co.nz/media/255711/7-11\_Seasonal\_nitrogen\_use\_2012.pdf

Bayad M, Chau HW, Trove S, Moir J, Condron L, Gharous M 2022. Surface runoff and losses of phosphorus from hydrophobic pastoral soils. Agriculture, Ecosystems and Environment 324: 107690.

Black AS, Sherlock RR, Smith NP, Cameron KC, Goh KM 1985. Effects of form of nitrogen, season, and urea application rate on ammonia volatilisation from pastures. New Zealand Journal of Agricultural Research 28: 469–474.

Cookson WR, Rowarth JS, Cameron, KC 2001. The fate of autumn-, late winter- and spring-applied nitrogen fertilizer in a perennial ryegrass (Lolium perenne L.) seed crop on a silt loam soil in Canterbury, New Zealand. Agriculture, Ecosystems and Environment 84: 67–77.

Curran Cournane FC, McDowell R, Littlejohn R, Condron L 2011. Effects of cattle, sheep and deer grazing on soil physical quality and losses of phosphorus and suspended sediment losses in surface runoff. Agriculture, Ecosystems and Environment 140: 264–272.

de Klein CAM, Ledgard SF 2005. Nitrous oxide emissions from New Zealand agriculture – key sources and mitigation strategies. Nutrient Cycling in Agroecosystems72: 77–85.

Di HJ, Cameron KC 2002. Nitrate leaching and pasture production from different nitrogen sources on a shallow stoney soil under flood-irrigated dairy pasture. Soil Research 40: 317–334.

FANZ 2019. Tiered Fertiliser Management System for soil cadmium. Fertiliser Association of New Zealand. Wellington. Available at: www.fertiliser.org.nz/Site/resources/tools

Fertmark 2020. Code of practice for the sale of fertiliser in New Zealand. Gillingham AG, Gray MH 2006. Measurement and modelling of runoff and phosphate movement from seasonally dry hill-country pastures, New Zealand Journal of Agricultural Research, 49: 233–245.

Grafton MCE, Izquierdo Acebes D, Yule IJ, Willis LA 2016. Measuring the Spread Patterns of Spreaders Under Normal Field Conditions Compared to test Conditions. In: Integrated nutrient and water management for sustainable farming. (Eds. L.D. Currie and R. Singh) http://flrc.massey.ac.nz/publications.html. Occasional Report No. 29. Fertilizer and Lime Research Centre, Massey University, Palmerston North, New Zealand. 11 pages.

Haggard BE, Moore PA, Brye KR 2005. Effect of slope on runoff from a small variable slope box-plot. Journal of Environmental. Hydrology 13: paper 25

Hart MR, Quin BF, Nguyen ML 2004. Phosphorus runoff from agricultural land and direct fertilizer effects. Journal of Environment Quality 33(6): 1954–1972.

Holmes CW, Brookes IM, Garrick DJ, Mackenzie DDS, Parkinson TJ, Wilson GF 2002. Milk production from pasture. Massey University, Palmerston North. 602 pp.



King KW, Williams, MR, Macrae ML, Fausey NR, Frankenberger J, Smith DR, Kleinman PJA, Brown LC 2015. Phosphorus Transport in Agricultural Subsurface Drainage: A Review. Journal of Environment Quality 44: 467–485.

Ledgard SF 1989. Effects of time of application and soil temperature on the fate of nitrogen fertiliser applied to dairy pasture. Proceedings of the Workshop: Nitrogen in NZ Agriculture and Horticulture.

Ledgard SF, Penno, JW, Sprosen, MS 1999. Nitrogen inputs and losses from clover/grass pastures grazed by dairy cows, as affected by nitrogen fertiliser application. Journal of Agricultural Science 132: 215–225.

Ledgard S, Schils R, Eriksen J, Luo J 2009. Environmental impacts of grazed clover/grass pastures. Irish Journal of Agricultural and Food Research 48: 209–226.

Ledgard SF Sprosen, MS, Bier GJ, Nenaia EKK, Clark DA 1996. Nitrogen inputs and losses from New Zealand dairy farmlets, as affected by nitrogen fertilizer application: year one. Plant and Soil 181: 65–69.

Ledgard SF, Steele KW, Feyter C 1988. Influence of time of application on the fate of 15N-labelled urea applied to dairy pasture. New Zealand Journal of Agricultural Research 31: 87–91.

Maguire RO, Sims JT 2002. Soil testing to predict phosphorus leaching. Journal of Environmental Quality 31: 1601–1609.

McDowell RW 2010. Evaluation of two management options to improve the water quality of Lake Brunner, New Zealand. New Zealand Journal of Agricultural Research 53: 59–69.

McDowell RW, Catto W 2005. Alternative fertilisers and management to decrease incidental phosphorus loss. Environmental Chemistry Letters 2: 169–174.

McDowell RW, Catto W, McDowell NLS 2020. The mitigation of phosphorus losses from a water-repellent soil used for grazed dairy farming. Geoderma 362.

McDowell RW, Cosgrove GP, Orchiston T, Chrystal J 2014. A cost-effective management practice to decrease phosphorus loss from dairy farms. Journal of Environmental Quality 43 (6), 9.

McDowell RW, Drewry JJ, Muirhead RW, Paton RJ 2003. Cattle treading and phosphorus and sediment loss in overland flow from grazed cropland. Aust. Journal of Soil Research 41: 1521–1532.

McDowell RW, Hedley MJ, Pletnyakov P, Rissmann C, Catto W, Patrick W 2019. Why are median phosphorus concentrations improving in New Zealand streams and rivers? Journal of the Royal Society of New Zealand 49: 143-170.

McDowell RW, Littlejohn RP, Blennerhassett JD 2010. Phosphorus fertilizer form affects phosphorus loss to waterways: a paired catchment study. Soil Use and Management 26: 365–373.

McDowell RW, Monaghan RM, Carey PL 2003. Potential phosphorus losses in overland flow from pastoral soils receiving long-term applications of either superphosphate or reactive phosphate rock. New Zealand Journal of Agricultural Research 46: 329-337.



McDowell RW, RM Monaghan 2015. Extreme phosphorus losses in drainage from grazed dairy pastures on marginal land. Journal of Environmental Quality 44: 545–551.

McDowell RW, Monaghan RM, Morton J 2003. Soil phosphorus concentrations to minimise P loss to surface waters in Southland. New Zealand Journal of Agricultural Research 46: 239–253.

McDowell RW, Nash DM, Robertson F 2007. Identifying the source of phosphorus lost from a grazed pasture soil using simulated rainfall and modelling. Journal of Environmental Quality 36:1281–1288.

McTaggart IP, Douglas JT, Clayton H, Smith KA 1997. Nitrous oxide emission from slurry and mineral nitrogen fertilizer applied to grassland. In: Jarvis S.C. and Pain B.F. (eds), Gaseous Nitrogen Emissions from Grasslands. CAB International, Wallingford, UK, pp. 201–209.

Monaghan RM, Smith LC, Muirhead RW 2016. Pathways of contaminant transfers to water from an artificially drained soil under intensive grazing by dairy cows. Agriculture, Ecosystems and Environment 220: 76–88.

Morton JD 2019. Lime Use on New Zealand Pastoral Farms. Fertiliser Association of New Zealand, Wellington.

Morton JD, Roberts AHC 2018. Fertiliser use on New Zealand sheep and beef farms. Fertiliser Association of New Zealand, Wellington.

Morton JD, Stafford A, Roberts AHC 2020. Fertiliser Use on New Zealand Forage Crops The principles and practices of soil fertility and fertiliser use on forage crops in New Zealand. Fertiliser Association of New Zealand, Wellington.

Müller K, Mason K, Strozzi AG, Simpson R, Komatsu T, Kawamoto K, Clothier B 2018. Runoff and nutrient loss from a water-repellent soil. Geoderma. 322: 28–37.

Nash D, Hannah M, Halliwell D, Murdoch C 2000. Factors affecting phosphorus export from a pasturebased grazing system. Journal of Environmental Quality 29: 1160–1166.

Nash DM, McDowell RW, Condron, LM, McLaughlin MJ 2019. Direct exports of phosphorus from fertilizers applied to grazed pastures. Journal of Environmental Quality 48 (5): 1380–1396.

Nicholls A, van der Weerden TJ, Morton JD, Metherell A, Sneath G 2009. Managing Soil Fertility on Cropping Farms. Auckland: New Zealand Fertiliser Manufacturers' Research Association.

Pote DH, Daniel TC, Sharpley AN, Moore PA, Edwards DR, Nichols DJ 1996. Relating extractable soil phosphorus to phosphorus in runoff. Journal of Environmental Quality 60:855–859.

Rajendram GS, Waller J, Cameron C, Longhurst R, Luo J, Ghani A, O'Connor M 2009. Nitrogen Fertiliser Trial Database: A Valuable Resource. Climatic Factors and First Cut Response to Nitrogen Application. Pp. 191–204 in Nutrient management in a rapidly changing world (Eds L.D. Currie and C.L. Lindsay), Fertiliser and Lime Research Centre, Massey University, Palmerston North, NZ.

Reid JB, Morton JD 2019. Nutrient management for vegetable crops in New Zealand. Horticulture New Zealand, Wellington.



Reid JB, Morton JD 2019. Nutrient management for vegetable crops in New Zealand. Horticulture New Zealand, Wellington.

Roberts AHC, Morton JD 2016. Fertiliser use on New Zealand dairy farms. Fertiliser Association of New Zealand, Wellington.

Sharpley AN, Syers JK 1979. Loss of nitrogen and phosphorus in tile drainage as influenced by urea application and grazing animals, New Zealand Journal of Agricultural Research 22: 127–131.

Sharpley AN, Syers JK 1983. Transport of phosphorus in surface runoff as influenced by liquid and solid fertilizer phosphate addition. Water Air Soil Pollution 19: 321–326.

Simmonds B, McDowell RW, Condron LM 2017. The effect of soil moisture extremes on the pathways and forms of phosphorus lost in run-off from two contrasting soil types. Soil Research 55: 19–27.

Simmonds BM, McDowell RW, Condron LM, Jowett T 2015. Potential phosphorus losses from organic and podzol soils: Prediction and the influence of soil physico-chemical properties and management. New Zealand Journal of Agricultural Research 58: 170–180.

Sinclair AG, Dyson, CB, Shannon PW 1990. The long-term effectiveness of reactive phosphate rock as a phosphate fertiliser for New Zealand pastures. Proc. New Zealand Grasslands Association 51: 101– 104.

Silva RG, Cameron KC, Di HJ, Hendry T 1999. A lysimeter study of the impact of cow urine, dairy shed effluent and nitrogen fertilizer on drainage water quality. Australian Journal of Soil Research 37: 357–369.

Sitaula B, Hansen S, Sitaula JIB, Bakken L 2000. Effects of soil compaction on N2O emission in agricultural soil. Chemosphere - Global Change Science 2: 367–371.

Spreadmark 2021. Code of practice for the placement of fertiliser in New Zealand.

Turtola E, Jaakkola A 1995. Loss of phosphorus by surface runoff and leaching from a heavy clay soil under barley and grass ley in Finland. Acta Agric. Scand. B 45: 159–165.

Vogeler I, Lucci G, Shepherd M 2016. An assessment of the effects of fertilizer nitrogen management on nitrate leaching risk from grazed dairy pasture Journal of Agricultural Science 154: 407–424.

Vogeler I, Thomas S, van der Weerden T 2019. Effect of irrigation management on pasture yield and nitrogen losses. Agricultural Water Management 216: 60–69.

Watson CJ 2000. Urease activity and inhibition - principles and practice, Proceedings - International Fertiliser Society. International Fertiliser Society 454:1–40.

Weaver DM, Ritchie GSP, Anderson GC 1988. Phosphorus leaching in sandy soils: II. Laboratory studies of the long-term effects of the phosphorus source. Australian Journal of Soil Research 26: 191–200.

Weaver DM, Ritchie, GSP, Anderson GC, Deeley DM 1988. Phosphorus leaching in sandy soils: I. Shortterm effects of fertiliser applications and environmental conditions. Australian Journal of Soil Research 26: 177–190.



Whitehead DC 1995. Grassland Nitrogen. Published by CAB international, Wallington, U.K.

Williams PH, Tregurtha RJ, Francis G 2003. Fate of urea applied to winter spinach in New Zealand. Nutrient Cycling in Agroecosystems 67: 245–254.

Zaman M, Saggar S, Stafford AD 2013. Mitigation of ammonia losses from urea applied to a pastoral system: The effect of nBTPT and timing and amount of irrigation. New Zealand Grassland Association 75: 121–126.

Zhang X, Liu X, Zhang M, Dahlgren RA, Eitzel M 2010. A review of vegetated buffers and a meta-analysis of their mitigation efficacy in reducing nonpoint source pollution. Journal of Environmental Quality 39(1): 76–84.